

# Visual Signals - Industrial

## XENON BEACONS



X125 Series


## Industrial Xenon Beacons > X125 Series

### Product overview

The X125 series are suitable for security, process control and light industrial applications where a lower cost and energy efficient solution is required.

These beacons are of the flashing mode type (single stage alarm) Xenon beacons (sometimes called strobes) are controlled via a PCB and put out a very brief but bright flash of white light by ionizing and then discharging a large

current through the xenon gas. The design allows for termination inside the enclosure through the base.



## X125 Series > Ordering Information

Code No:	Voltage:	Light Source:	Current:
X125-Ac/Dc	10-100v Dc --- 20-72v Ac ~	Xenon 2.0 J	130 mA •
X125-55	115v Ac ~	Xenon 2.3 J	30 mA

- At 24v Dc ---

ADD THE FOLLOWING LENS CODES TO THE PRODUCT WHEN ORDERING



### Features

- Continuously rated
- Suitable for surface, conduit box or wall mounting (except ES version)
- Optional wall bracket & guard available - see accessories
- 2 point fix
- 360° light output around the vertical axis
- 180° light output above the horizontal axis
- Dustproof and Weatherproof

### Material

UV Stable Polycarbonate Lens  
UV Stable ABS Plastic Base

**Kg** 0.17

50/60 Hz

°C -25+55

**IP** 65

**FPM** 60

**INDUSTRIAL**

APPROVALS and CONFORMITIES

